



Instruction Manual & User Guide

Torero 4 Wheel Stroller



Illustrations are representative only.
Design and style may vary.

IMPORTANT! RETAIN FOR FUTURE REFERENCE

CONTENT

Page 3 Warnings

Page 4 Component list

ASSEMBLING THE STROLLER

Page 5 Opening stroller

Page 6 Fitting seat

Page 7 Wheels assembly

Page 8 Bumper bar & Canopy

USING THE STROLLER

Page 9 Front wheel swivels

Operating brakes

Page 10 Reverse seat

Adjusting handle

Page 11 Adjusting legrest

Adjusting backrest

Page 12 Securing your child

Page 13 Adjusting harness height

Page 14 Tether strap

Page 15 Folding stroller assembled

Page 16 Unfolding stroller

Page 17 Raincover

MAINTENANCE AND CONTACTS

Page 20 Product care and maintenance

Contact details

Note:

- The weight of the child using this stroller should not be more than **17kg**.
- Total weight for the shopping basket should be more than **4kg**.

These instructions detail the safe use, assembly and maintenance of your product. Please read these instructions carefully and ensure that they are followed at all times. Failure to do so could result in serious injury or death.



WARNING TO AVOID INJURY OR DEATH:

- **FOLLOW THE MANUFACTURE'S INSTRUCTIONS.**
- **ALWAYS APPLY THE BRAKES WHENEVER THE STROLLER IS STATIONARY.**
- **DO NOT LEAVE CHILDREN UNATTENDED.**
- **DO NOT CARRY EXTRA CHILDREN OR BAGS ON THIS STROLLER.**
- **MAKE SURE CHILDREN ARE CLEAR OF ANY MOVING PARTS IF YOU ADJUST THE STROLLER, OTHERWISE THEY MAY BE INJURED.**
- **SECURE THE CHILD IN THE HARNESS AT ALL TIMES AND ENSURE THAT THE SAFETY HARNESS IS ADJUSTED FIRMLY BUT COMFORTABLY TO THE CHILD'S BODY.**
- A harness can form loops that may be a strangulation hazard, never leave harness straps connected when not fitted to a child in the stroller.
- Use the tether strap to prevent the stroller rolling away.
- Do not allow children to stand on the seat or footrest.
- Do not attempt to lift the stroller by the bumper bar.
- Remove the child from the stroller before going up or down stairs or escalators.
- Engage front wheel swivel lock when travelling on rough or uneven surfaces.
- Regularly inspect the stroller for any parts that are loose, broken, torn or missing. Attend to the problem as soon as it is noticed.
- Use only those accessories which are supplied by Dorel Australia and approved for use with this stroller.
- Do not use the stroller near an open fire, barbecue or exposed flame.
- This product is not intended for commercial use.
- Do not run or jog with this stroller.
- The Torero 4 wheel stroller has been approved in accordance with AS/NZS 2088:2009.

Component List:



Accessories included: Raincover

Assembling: Torero 4 Wheel Stroller

OPENING STROLLER

- If the stroller has a security tie, please remove it.
- The seat is not attached to the frame. Move it to a safe location for later installation.
- Release the storage latch, as per **Figure 1A**.
- Lay stroller on the side, simultaneously lift handle while pulling on the frame until the locking mechanism engages, as per **Figure 1B**.

Note: Push down on the handle to check that locks have fully engaged.



Figure 1A



Figure 1B

Assembling: Torero 4 Wheel Stroller

TO FIT THE SEAT

- Align the seat with the frame and push, listen for 'click'. As per **Figure 2A**.
- Adjust the legrest by press both adjustment buttons and rotate to the desired position, as per **Figure 2B**.

Note: Listen for click.




Assembling: Torero 4 Wheel Stroller

TO FIT REAR WHEEL ASSEMBLY

- Slide rear wheels onto the frame of the stroller, as per **Figure 3A**.
- Push the wheels in until you hear them lock in place. Listen for 'click'.
- Gently pull back on the wheels to ensure they have fully locked in position.

Note: To remove the rear wheel assembly. Pull and hold the metal tab while removing rear wheel from the axle, as per Figure 3B. Repeat on the other side.



TO FIT FRONT WHEELS

- Lay the open stroller upside down with the handle on the floor.
- Align the shaft on the wheel with the hole in the front leg and push in, as per **Figure 4A**. Listen for 'click'.
- Repeat on the other side.

Note: To detach the front wheel assembly. Press the metal pin behind the front tube in while pulling the wheel off, as per Figure 4B.



Assembling: Torero 4 Wheel Stroller

BUMPER BAR

- Align the bumper bar shaft with the hole in the frame and push in, as per **Figure 5A**.
- Listen for 'click'.
- Repeat on the other side.

Note: To remove bumper bar. Press both grey plastic buttons under the bumper bar, as per Figure 5B and remove.



Figure 5A




Figure 5B

CANOPY

- Align both canopy ends with the plastic sliders on the frame, as per **Figure 6A**.
- Slide the ends of the canopy down until they are fully engaged.
- Push both the locking tabs down, as per **Figure 6A**.

Note: To use the canopy. Pull the front edge of the canopy forward to open or push backward to fold.

Note: To remove the canopy. Pull the locking tabs up and slide the canopy ends off the sliders, as per Figure 6B.




Figure 6A




Figure 6B

Using: Torero 4 Wheel Stroller

TO OPERATE FRONT WHEEL SWIVELS

- Position front wheel, as per **Figure 7A**.
- **TO LOCK:** Align the swivel lock button with the frame and push upwards, as per **Figure 7B**.
- **TO UNLOCK:** Push the swivel lock button downwards, as per **Figure 7C**.



Figure 7A




Figure 7B




Figure 7C

OPERATING BRAKES

- To apply the brake, press down firmly on the brake pedal using the ball of your foot. As per **Figure 8A**.
- To release the brake, lift the brake pedal until the brakes have fully disengaged. As per **Figure 8B**.

Note: Ensure the brakes are fully engaged when you park your stroller.



Figure 8A



Figure 8B



WARNING

APPLY ALL THE BRAKES WHENEVER YOU PARK THE STROLLER.

Using: Torero 4 Wheel Stroller

TO REVERSE SEAT

- The seat is reversible.
- Press the seat release button on both sides and lift seat, as per **Figure 9A**.
- Reverse the seat and align with the frame and gently push down.
- Listen for 'click'. As per **Figure 9B**.



ADJUSTING HANDLE

- Press both adjustment buttons simultaneously and rotate to the desired position, as per **Figure 10**.

Note: Listen for 'click'.



Using: Torero 4 Wheel Stroller

ADJUSTING LEGREST

- Press both adjustment buttons simultaneously and rotate to the desired position, as per **Figure 11**.

Note: Listen for click.



Figure 11

ADJUSTING THE BACKREST

- Lift the lever, as per **Figure 12A & 12B** and rotate the seat to the desired position.

Note: The backrest can be adjusted in 3 different positions.



Figure 12A





Figure 12B

Using: Torero 4 Wheel Stroller

SECURING YOUR CHILD

- The harness strap can be adjusted by moving each straps's slider (**A**), as per **Figure 13A**.
- The buckle is released by pressing centre button, as per **Figure 13B**.



WARNING

USE THIS HARNESS AT ALL TIMES.

A FIVE-POINT HARNESS IS PROVIDED TO SECURE YOUR CHILD.

WHEN NOT IN USE DISCONNECT SHOULDER STRAPS FROM THE WAIST STRAP AND BUCKLE.

Using: Torero 4 Wheel Stroller

ADJUSTING HARNESS HEIGHT

- Undo the buckle.
- Feed both shoulder straps back through the seat pad and loop, as per **Figure 14A**.
- Feed the shoulder straps back through upper slot in the seat pad only, as per **Figure 14B**.
- Attach the buckle assembly, as per **Figure 13B** on page 12.




Figure 14A




Figure 14B

Note: When harness is used in the lower slots. Please ensure that the shoulders straps are thread, as per Figure 15.




Figure 15

Using: Torero 4 Wheel Stroller

TETHER STRAP



WARNING

- Correct use of the tether strap will prevent stroller runaway and possible injury to your child.
- Whenever a child is in the stroller and brakes are not engaged, the large loop should be around your wrist, as per **Figure 16**.



Figure 16

FOLDING STROLLER



WARNING

It is not recommended to fold the stroller when seat is in the rearward facing position. Refer to Figure 17A & 17B.



Figure 17A



Figure 17B

Using: Torero 4 Wheel Stroller

FOLDING STROLLER (cont.)

- Fold the canopy back.
- Unlock the swivel wheels.
- Apply all brakes.
- Adjust the seat backrest to full layback position.
- Press and pull folding lock on the right hand side while pulling secondary lock on the left hand side. Refer to **Figure 18A**.
- Press down on the handle to fold the stroller while pulling on the folding locks.
- The storage latch will automatically engage when fully folded, as per **Figure 18B**

Note: Make sure the seat is facing forward when folding.




Figure 18A



Figure 18B



Figure 18C

Using: Torero 4 Wheel Stroller

UNFOLDING STROLLER

- Release the storage latch, as per **Figure 19A**.
- Lift handle until stroller is fully open and locking mechanism engages as per **Figure 19B**.

Note: Push down on the handle to check that locks have fully engaged.



Figure 19A



Figure 19B

Using: Torero 4 Wheel Stroller

RAINCOVER

- Spread the raincover over the stroller and wrap elastic around the seat, as per **Figure 20A**.



Figure 20A

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

PRODUCT CARE AND MAINTENANCE

- Always store in a clean and dry place.
- Clean the frame by wiping with a damp cloth.
- Do not use abrasives, bleach or strong detergents.
- Spot clean fabrics with warm water and mild soap.
- Ensure fabric is dry before storing.
- Occasionally clean and lubricate wheels and axles with a light lubricating oil.
- Regularly check for loose parts and tighten when required.
- Damaged or broken parts should be immediately replaced.

CUSTOMER SERVICE

Please contact our Customer Service Department if you experience a problem with this product or require assistance:

AUSTRALIAN CUSTOMERS

Email sales@dorel.com.au
Web www.dorel.com.au
Phone 1 (03) 8311 5300
Address 655-685 Somerville Road
Sunshine West, Vic, 3020
Phone 2 1300 809 526 (local call cost)
Hours 8:30 am – 5:00 pm
Monday to Friday
Postal Dorel Australia Pty Ltd
P.O. Box 1260
Sunshine West, Victoria,
3020
Australia

NEW ZEALAND CUSTOMERS

customerservice@igc.co.nz
www.dorel.com.au
(09) 274 1040
14 Sir William Avenue, East
Tamaki, Auckland, 2013
0800 628 000 (Toll Free)
8:00 am – 5:00 pm
Monday to Friday
IGC Dorel New Zealand Ltd
P.O. Box 82377 Highland Park
Mt Wellington
New Zealand



Specifications are subject to change without notice.
Copy or reproduction without permission is prohibited.
© 2013 Dorel Australia Pty Ltd. All Rights Reserved.
www.dorel.com.au